Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO AMERICAN MYCOLOGICAL LITERATURE

Anderson, J. P. A partial list of the parasitic fungi of Decatur County, Iowa. Proc. Iowa Acad. Sci. **20**: 115–131. 1913.

Atkinson, G. F. The development of *Lepiota clypeolaria*. Ann. Myc. **12**: 346–356. *pl. 13–16*. 30 Je 1914.

Barre, H. W., & Aull, W. B. Hot water treatment for cotton anthracnose. Science II. **40**: 109, 110. 17 Jl 1914.

Bessey, C. E. A notable botanical career. Science II. **40**: 48. 10 Jl 1914.
A biographical sketch of Charles Horton Peck.

Bessey, E. A. *Tylenchus dipsaci* in the United States. Phytopathology **4**: 118. 23 Ap 1914.

Bisby, G. R. Some observations on the formation of the capillitium and the development of *Physarella mirabilis* Peck and *Stemonitis fusca* Roth. Am. Jour. Bot. **1**: 274–288. *pl. 24*. Je 1914.

Burger, O. F. Cucumber rot. Florida Agr. Exp. Sta. Bull. **121**: 97–109. *f. 38–42*. F 1914.

Burt, E. A. The Thelephoraceae of North America. I. Ann. Missouri Bot. Gard. **1**: 185–228. *pl. 4, 5*. My 1914.
Includes description of two new species.

Clinton, G. P. Report of the botanist. Ann. Rep. Connecticut Agr. Exp. Sta. **36**: 341–453. *pl. 17–28*. 1912.
Includes I. Notes on plant diseases of Connecticut and II. The chestnut bark disease.

Conard, H. S. The structure of *Simblum sphaerocephalum*. Mycologia **5**: 264–273. *pl. 96, 97 + f, 1*. 4 O 1913.

Conel, J. L. A study of the brown-rot fungus in the vicinity of Champaign and Urbana, Illinois. Phytopathology **4**: 93–101. 23 Ap 1914.

Cook, M. T. Diseases of shade and forest trees. New Jersey Forest Comm. 93–124. *f. 36–43*. 1912.

Cook, M. T. Grain smuts: their causes and treatments. New Jersey Agr. Exp. Sta. Circ. 36: 1–3. 1914.

Cook, M. T., & Martin, G. W. The Jonathan spot rot. Phytopathology 4: 102–105. 23 Ap 1914.

Coons, G. H. The potato diseases of Michigan. Michigan Agr. Exp. Sta. Special Bull. 66: 1–31. *f. 1–3.* Mr 1914.

Edgerton, C. W. A method of picking up single spores. Phytopathology 4: 115–117. 23 Ap 1914. [Illust.]

Edgerton, C. W. Plus and minus strains in the genus *Glomerella.* Am. Jour. Bot. 1: 244–254. *pl. 22, 23* + *f. 1.* 20 Je 1914.

Evans, A. C., Hastings, E. G., & Hart, E. B. Bacteria concerned in the production of the characteristic flavor in cheese of the cheddar type. Jour. Agr. Research 2: 167–192. 15 Je 1914.

Fawcett, G. L. *Pellicularia koleroga* on coffee in Porto Rico. Jour. Agr. Research 2: 231–233. *f. 1–3.* 15 Je 1914.

Fawcett, H. S. Stem-end rot of *Citrus* fruits (*Phomopsis* sp.). Univ. Florida Agr. Exp. Sta. Bull. 107: 3–23. *f 1–9.* O 1911.

Ford, W. W., & Clark, E. D. A consideration of the properties of poisonous fungi. Mycologia 6: 167–191. 14 Jl 1914.

Fromme, F. D. The morphology and cytology of the aecidium cup. Bot. Gaz. 58: 1–35. *pl. 1, 2* + *f. 1–8.* 17 Jl 1914.

Graves, A. H. Notes on diseases of trees in the Southern Appalachians, III. Phytopathology 4: 63–72. *pl. 5* + *f. 1–10.* 23 23 Ap 1914.

Harper, E. T. The identity of *Cantharellus brevipes* and *Cantharellus clavatus.* Mycologia 5: 261–263. *pl. 93–95.* 4 O 1913.

Hart, E. B., *and others.* Relation of the action of certain bacteria to the ripening of cheese of the cheddar type. Jour. Agr. Research 2: 193–216. 15 Je 1914.

Heald, F. D. A method of determining in analytic work whether colonies of the chestnut blight fungus originate from pycnospores or ascospores. Mycologia 5: 274–277. *pl. 98–101.* 4 O 1913.

Hedgcock, G. G., & Long, W. H. Identity of *Peridermium fusiforme* with *Peridermium cerebrum*. Jour. Agr. Research **2**: 247–249. *pl. 11.* 15 Je 1914.

Horne, W. T. The oak fungus disease of fruit trees. Monthly Bull. State Comm. Hort. Calif. 3: 275–282. *f. 79–81.* Jl 1914. *Armillaria mellea.*

Howe, R. H. The nomenclature of the genus *Usnea*. Bull. Torrey Club **41**: 373–379. *pl. 9–14.* 28 Jl 1914.

Howe, R. H. Thoreau, the lichenist. Guide to Nature **5**: 17–20. My 1912. [Illust.]

Johnston, J. R. Report of the pathologist. Ann. Rep. Sugar Prod. Assoc. Porto Pico **1911–1912**: 23–28. 1912.

Long, W. H. Influence of the host on the morphological character of *Puccinia Ellisiana* and *Puccinia andropogonis*. Jour. Agr. Research **2**: 303–319. 15 Jl 1914.

McClintock, J. A. Some notes on the black knot of plums and cherries. Ann. Rep. Michigan Acad. Sci. **15**: 142–144. 1913.

McLean, H. C., & Wilson, G. W. Ammonifying power of soil-inhabiting fungi. Science II. **40**: 140–142. 24 Jl 1914.

Melchers, L. The plaster cast apple specimen. Phytopathology **4**: 113, 114. *f. 1.* 23 Ap 1914.

Melhus, I. E. A species of *Rhizophidium* parasitic on the oospores of various Peronosporaceae. Phytopathology **4**: 55–62. *pl. 4.* 23 Ap 1914.

Metcalf, H. The chestnut bark disease. Jour. Heredity **5**: 8–18. *f. 1–8.* 28 D 1913.

Murrill, W. A. (Agaricales) Agaricaceae (pars). N. Am. Fl. **10**: 1–76. 28 Jl 1914.

Murrill, W. A. Edible fungi. Jour. N. Y. Bot. Gard. **15**: 119–122. 26 Je 1914.

Murrill, W. A. Illustrations of fungi—XV. Mycologia **5**: 257–260. *pl. 92.* 4 O 1913.

Chanterel minor, C. cinnabarinus, Lepiota procera, Entoloma Grayanum, Ceriomyces fumosipes, C. communis, and *C. illudens* illustrated.

Murrill, W. A. Illustrations of fungi—XVIII. Mycologia **6**: 161–166. *pl. 126–134.* 14 Jl 1914.

Lycoperdon Bovista, L. pyriforme, Sparassis Herbstii, Asterophora Clavus, Collybia maculata, Hygrophorus eburneus, Lactaria piperata, Lepiota naucina, Agaricus campester hortensis, and *Psathyrella disseminata* illustrated.

O'Gara, P. J. Existence of crown gall of alfalfa, caused by *Urophlyctis alfalfae,* in the Salt Lake Valley, Utah. Science II. **40**: 27. 3 Jl 1914.

O'Gara, P. J. Occurrence of bacterial blight of alfalfa in the Salt Lake Valley, Utah. Science II. **39**: 905, 906. 19 Je 1914.

Pickett, B. S. The blight of apples, pears, and quinces. Illinois Agr. Exp. Sta. Circ. 172: 1–10. Je 1914. [Illust.]

Rehm, H. Ascomycetes exs. Fasc. 54. Ann. Myc. **12**: 165–170. 15 My 1914; Fasc. 55. Ann. Myc. **12**: 170–175. 15 My 1914.
Several American species are described.

Saccardo, P. A. Notae mycologicae, Series XVIII. Ann. Myc. **12**: 282–314. 30 Je 1914.
Includes *Didymosphaeria Linderae, Pleospora Dearnessii, Phleospora Dearnessiana, Phyllosticta Collinsoniae, Sphaeropsis Coluteae, Cryptosporium fusarioides, Ramularia ontariensis* spp. nov. from Canada, and *Asterina Verae-crusis* Theissen, *Englerula mexicana* Theissen, and *Phoma moreliana* Sacc., spp. nov., from Mexico.

Schrenk, H. von. A trunk disease of the lilac. Ann. Missouri Bot. Gard. **1**: 253–259. *pl. 8, 9.* My 1914.

Schrenk, H. von. Two trunk diseases of the mesquite. Ann. Missouri Bot. Gard. **1**: 243–249. *pl. 6, 7.* My 1914.

Spaulding, P. The damping-off of coniferous seedlings. Phytopathology **4**: 73–88. *pl. 6 + f. 1, 2.* 23 Ap 1912.

Spaulding, P. New facts concerning the white-pine blister rust. U. S. Dept. Agr. Bull. 116: 1–8. 24 Je 1914.

Spegazzini, C. Mycetes argentinenses. An. Mus. Nac. Nat. Hist. Buenos Aires **24**: 167–186. 1913. [Illust.]

Stevens, F. L. A destructive strawberry disease. Science II. **39**: 949, 950. 26 Je 1914.

Sydow, H., & Sydow, P. Novae fungorum species—XII. Ann. Myc. **12**: 195–204. 15 My 1914.
Includes *Uredo Herteri* sp. nov. from Uruguay and *Odontia paulensis* sp. nov. from Brazil.

Thaxter, R. Laboulbeniales parasitic on Chrysomelidae. Proc. Am. Acad. Arts & Sci. **50**: 17–50. My 1914.
Includes descriptions of thirty-one new species.

Theissen, F. Zur Revision der Gattungen *Microthyrium* und *Seynesia*. Öst. Bot. Zeits. **62**: 216–221. Je 1912; 275–280. Jl 1912; 327–329. S 1912; 395–396. O 1912; 430–435. N 1912; 63: 121–131. Mr 1913.

Theissen, F., & Sydow, H. Dothideazeen-Studien. Ann. Myc. **12**: 176–194. 15 My 1914.

Thom, C. Conidium production in *Penicillium*. Mycologia **6**: 211–215. *f. 1.* 14 Jl 1914.

True, R. H. The molds of cigars and their prevention. Bull. U. S. Dept. Agr. 109: 1–8. 11 Je 1914.

Vaughan, R. E. A method for the differential staining of fungous and host cells. Ann. Missouri Bot. Gard. **1**: 241, 242. My 1914.

Weese, J. Beitrag zur Kenntnis der Gattung Nectriella Nitschke. Ann. Myc. **12**: 128–157. *f. 1, 2.* 15 My 1914.

Weir, J. R. Two new wood-destroying fungi. Jour. Agr. Research **2**: 163–167. *pl. 9, 10.* 25 My 1914.
Fomes putearius and *Trametes setosus*, spp. nov.

Wilson, G. W. The identity of the anthracnose of grasses in the United States. Phytopathology **4**: 106–112. 23 Ap 1914.

Wilson, G. W. Studies in North American Peronosporales—VI. Notes on miscellaneous species. Mycologia **6**: 192–210. *pl. 135, 136.* 14 Jl 1914.
Includes *Bremiella* gen. nov. and *Peronospora Lepidii, P. Chamaesycis* and *P. minima*, spp. nov.

Wollenweber, H. W. Identification of species of *Fusarium* occurring on the sweet potato, *Ipomoea batatas*. Jour. Agr. Research **2**: 251–286. *pl. 12–16.* 15 Jl 1914.
Includes *Fusarium radicicola, F. caudatum*, and *F. batatatis* spp. nov.

Wood, G. C. A preliminary list of the lichens found within a radius of 100 miles of New York City. Torreya **14**: 73–94. My 1914.

Young, V. H. Successful artificial cultures of *Clitocybe illudens* and *Armillaria mellea*. Bot. Gaz. **57**: 524–526. *f. 1–3.* 19 Je 1914.

Zeller, S. M. The development of *Stropharia ambigua* Mycologia **6**: 139–145. *pl. 124.* 30 My 1914.